

# Author Index

## Volume 11

- Adam P, 489  
 Alexander JM, 185  
 Allen EB, 1  
 Ambrose LG, 110  
 Ambrose RF, 155, 325  
 Anderson SS, 155  
 Arunachalam A, 168  
  
 Baldwin AH, 392  
 Beers I, 155  
 Bellot J, 208  
 Beukes PC, 308  
 Bruckner A, 239  
 Bullock RJ, 424  
 Butaye J, 417  
  
 Carnes K, 531  
 Catling PM, 217  
 Chapman CA, 198  
 Chen T-a, 62  
 Cooley HC, 91  
 Corlett RT, 483  
 Cortina J, 208  
 Costley KJ, 436  
 Covington WW, 504  
 Cowling RM, 308  
 Croker GF, 436  
 Croll DA, 524  
  
 D'Antonio CM, 185  
 Dale MRT, 343  
 Davies-Colley RJ, 436  
 Davis ALV, 29  
 Delpont JH, 29  
 DeWald LE, 247  
 Diamond AW, 3  
 Donlan CJ, 524  
 Duncan RS, 198  
 Dyer AR, 291  
 Dyhrberg R, 56  
  
 El-Bana MI, 317  
  
 Fulé PZ, 504  
  
 Gabor TS, 3  
 Galatowitsch SM, 297  
 Ganihar SR, 475  
  
 Gates CC, 343  
 Gerrath JA, 174  
 Gibbs GW, 13  
 Gil-Pelegrín E, 208  
 Gilbert JC, 424  
 Gowing DJG, 424  
 Grant CD, 103  
 Groninger JW, 273  
  
 Haas MJ, 231  
 Hager H, 239  
 Halliday NJ, 436  
 Hau BCH, 483  
 Hedger JN, 125  
 Henderson C, 139  
 Hermy M, 417  
 Heuberger KA, 72  
 Hines RE, 533  
 Hitchmough JD, 20  
 Hodačková D, 385  
  
 Jacquemyn H, 417  
 Jandl R, 239  
 Jones TA, 281  
  
 Kauffman JB, 82  
 Keeney TW, 155  
 Keith DA, 489  
 Khedr A-HA, 317  
 Kleijn D, 131  
 Kopeszki H, 239  
 Korb JE, 504  
 Kruse BS, 273  
 Kuser JE, 231  
  
 Larson DW, 174  
 Lesica P, 516  
 Levassor C, 378  
 Lirman D, 448  
 Loneragan WA, 103  
 Longcore T, 397  
 Lunt ID, 223  
 Lunt PH, 125  
  
 MacNeil S, 155  
 Martin B, 516  
 Matthes U, 174  
 McMahan G, 139  
 McPherson T, 155  
 Mermut AR, 123  
 Miller DL, 359  
 Miller MW, 448  
  
 Neill C, 116  
 Nichols FM, 261  
  
 Nichols OG, 261  
 Nijs I, 317  
  
 Pärtel M, 410  
 Paling EI, 50, 56  
 Pandey HN, 168  
 Parkyn SM, 436  
 Peco B, 378  
 Perry LG, 297  
 Peterson GG, 116  
 Phillips J, 56  
 Platt WJ, 91  
 Prach K, 385  
 Price CA, 351  
 Putz FE, 72  
 Pyke DA, 370  
 Pyne S, 257  
  
 Quinlan A, 343  
  
 Rufaut CG, 13  
  
 Schneider M, 359  
 Scholtz CH, 29  
 Severns PM, 334  
 Sheridan P, 139  
 Shiels AB, 457  
 Shuman CS, 325  
 Sinclair A, 217  
 Slocum MG, 91  
 Soong K, 62  
 Steed JE, 247  
 Stevens CE, 3  
  
 Tershy BR, 524  
 Thetford M, 359  
 Traba J, 378  
  
 van Aarde RJ, 29, 43  
 van Keulen M, 50, 56  
 Vance RR, 155  
 Vilagrosa A, 208  
  
 Walker CJ, 50  
 Walker LR, 457  
 Walker RF, 466  
 Weiermans J, 43  
 Weltzin JF, 351  
 Wheeler KD, 56  
 Wienhold CE, 394  
 Wilkins S, 489  
 Wilson SD, 110, 410  
 Wirth TA, 370  
 Wroblewski DW, 82  
  
 Yager L, 359

# Subject Index

## Volume 11

### Acacia

Convergence between dung beetle assemblages of a post-mining vegetational chronosequence and unmined dune forest (Davis et al), 29

### Acropora

Coral transplantation: regeneration and growth of *Acropora* fragments in a nursery (Soong and Chen), 62

### Aerial photography

A comparison of remote sensing and ground-based methods for monitoring wetland restoration success (Shuman and Ambrose), 325

### Agriculture

Vegetative characteristics of recently reforested bottomlands in the Lower Cache River Watershed, Illinois, U.S.A. (Kruse and Groninger), 273

### Agropyron cristatum

Emergence of the introduced grass *Agropyron cristatum* and the active grass *Bouteloua gracilis* in a mixed-grass prairie restoration (Ambrose and Wilson), 110

Extirpation or coexistence? Management of a persistent introduced grass in a prairie restoration (Wilson and Pärtel), 410

### Altitude

Ecosystem restoration of jhum fallows in northeast India: microbial C and N along altitudinal and successional gradients (Arunachalam and Pandey), 168

### Artemisia tridentata

Initial effects of prescribed fire on morphology, abundance, and phenology of forbs in big sagebrush communities in south-

eastern Oregon (Wroblewski and Kauffman), 82

### Arthropods

Terrestrial arthropods as indicators of ecological restoration success in coastal sage scrub (California, U.S.A.) (Longcore), 397

### Atlantic white cedar

Establishment of *Chamaecyparis thyoides* on an extremely low-nutrient sandy site on the Atlantic Coastal Plain, U.S.A. (Haas and Kuser), 231

### Australia

Effect of planting unit size and sediment stabilization on seagrass transplants in Western Australia (van Keulen et al), 50

Influence of spacing on mechanically transplanted seagrass survival in a high wave energy regime (Paling et al), 56

Long-term trends in faunal recolonization after bauxite mining in the jarrah forest of southwestern Australia (Nichols and Nichols), 261

Measuring success: evaluating the restoration of a grassy eucalypt woodland on the Cumberland Plain, Sydney, Australia (Wilkins et al), 489

Using dominance-diversity curves to assess completion criteria after bauxite mining rehabilitation in western Australia (Grant and Loneragan), 103

### Bauxite

Long-term trends in faunal recolonization after bauxite mining in the jarrah forest of southwestern Australia (Nichols and Nichols), 261

Using dominance-diversity curves to assess completion criteria after bauxite mining rehabilitation in western Australia (Grant and Loneragan), 103

### Benthos

Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139

### Big sagebrush

Initial effects of prescribed fire on morphology, abundance, and phenology of forbs in big sagebrush communities in southeastern Oregon (Wroblewski and Kauffman), 82

### Birds

Bird perches increase forest seeds on Puerto Rican landslides (Shiels and Walker), 457

Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

### Bison

Effects of prescribed burning on herbaceous and woody vegetation in northern lowland meadows (Quinlan et al), 343

### Book reviews

*Ecology, Engineering, and Management: Reconciling Ecosystem Rehabilitation and Service Reliability*, by van Eeten and Roe (Baldwin), 392

*The Farm as Natural Habitat: Reconnecting Food Systems with Ecosystems*, edited by Jackson and Jackson (Carnes), 531

*Fire, Native Peoples, and the Natural Landscape*, edited by Vale (Pyne), 257

*No Place Distant: Roads and Motorized Recreation on America's Public Lands*, by Havlick (Hines), 533

*A Practical Guide to Prairie Reconstruction*, by Kurtz (Wienhold), 394

*Understanding Soil Change—Soil Sustainability over Millennia, Centuries, and Decades*, by Richter Jr and Markewitz (Mermut), 123

### Bottomlands

Vegetative characteristics of recently reforested bottomlands in the Lower Cache River Watershed, Illinois, U.S.A. (Kruse and Groninger), 273

***Bouteloua gracilis***

Emergence of the introduced grass *Agropyron cristatum* and the active grass *Bouteloua gracilis* in a mixed-grass prairie restoration (Ambrose and Wilson), 110

**Breeding; see Reproduction****Bruce Peninsula National Park**

Experimental restoration of disturbed cliff-edge forest in Bruce Peninsula National Park, Ontario, Canada (Matthes et al), 174

**Burning; see Fire****Cades Cove**

Managing non-native plant populations through intensive community restoration in Cades Cove, Great Smoky Mountains National Park, U.S.A., 351

**California**

Burning and grazing management in a California grassland: growth, mortality, and recruitment of *Nasella pulchra* (Dyer), 291

Islands, exotic herbivores, and invasive plants: their roles in coastal California restoration (Donlan et al), 524

Seed bank dynamics of French broom in coastal California grasslands: effects of stand age and prescribed burning on control and restoration (Alexander and D'Antonio), 185

Terrestrial arthropods as indicators of ecological restoration success in coastal sage scrub (California, U.S.A.) (Longcore), 397

**Canada**

Experimental restoration of disturbed cliff-edge forest in Bruce Peninsula National Park, Ontario, Canada (Matthes et al), 174

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

**Carbon**

Ecosystem restoration of jhum fallows in northeast India: microbial C and N along altitudinal and successional gradients (Arunachalam and Pandey), 168

Using soil  $^{13}\text{C}$  to detect the historic presence of *Schizachyrium scopar-*

*ium* (little bluestem) grasslands on Martha's Vineyard (Peterson and Neill), 116

**Carex**

Transplanting sedges (*Carex* spp.) in southwestern riparian meadows (Steed and DeWald), 247

**Cattle dung**

Restoration of species richness in abandoned Mediterranean grasslands: seeds in cattle dung (Traba et al), 378

**Cedar**

Establishment of *Chamaecyparis thyoides* on an extremely low-nutrient sandy site on the Atlantic Coastal Plain, U.S.A. (Haas and Kuser), 231

***Chamaecyparis thyoides***

Establishment of *Chamaecyparis thyoides* on an extremely low-nutrient sandy site on the Atlantic Coastal Plain, U.S.A. (Haas and Kuser), 231

**China**

Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China (Hau and Corlett), 483

**Coal**

Effects of organic enrichment of mine spoil on growth and nutrient uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125

Spoil heaps from brown coal mining: technical reclamation versus spontaneous revegetation (Hodačová and Prach), 385

**Colonization**

Impacts of restored patch density and distance from natural forests on colonization success (Jacquemyn et al), 417

**Coral**

Coral transplantation: regeneration and growth of *Acropora* fragments in a nursery (Soong and Chen), 62

Modeling and monitoring tools to assess recovery status and convergence rates between restored

and undisturbed coral reef habitats (Lirman and Miller), 448

**Cover crops**

A test of two annual cover crops for controlling *Phalaris arundinacea* invasion in restored sedge meadow wetlands (Perry and Galatowitsch), 297

**Crested wheatgrass**

Extirpation or coexistence? Management of a persistent introduced grass in a prairie restoration (Wilson and Pärtel), 410

**Cumberland Plain**

Measuring success: evaluating the restoration of a grassy eucalypt woodland on the Cumberland Plain, Sydney, Australia (Wilkins et al), 489

**Disturbance simulation**

Restoration of *Hydrastis canadensis* by transplanting with disturbance simulation: results of one growing season (Sinclair and Catling), 217

**Dominance-diversity curves**

Using dominance-diversity curves to assess completion criteria after bauxite mining rehabilitation in western Australia (Grant and Loneragan), 103

**Drought**

Suitability of drought-preconditioning techniques in Mediterranean climate (Vilagrosa et al), 208

**Dunes**

Convergence between dung beetle assemblages of a post-mining vegetational chronosequence and unmined dune forest (Davis et al), 29

Potential use of *Uniola paniculata* rhizome fragments for dune restoration (Miller et al), 359

Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43

**Dung beetle**

Convergence between dung beetle assemblages of a post-mining vegetational chronosequence and unmined dune forest (Davis et al), 29

**Earthworms**

Nutrient mineralization and leaf litter preference by the earthworm *Pontoscolex corethrurus* on iron ore mine wastes (Ganihar), 475

**Ectomycorrhizal fungi**

Effects of organic enrichment of mine spoil on growth and nutrient uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125

**Eucalypt**

Measuring success: evaluating the restoration of a grassy eucalypt woodland on the Cumberland Plain, Sydney, Australia (Wilkins et al), 489

**Everglades National Park**

Effects of differences in prescribed fire regimes on patchiness and intensity of fires in subtropical savannas of Everglades National Park, Florida (Slocum et al), 91

**Exotic plants**

Effects of prescribed fire and season of burn on recruitment of the invasive exotic plant, *Pentstemon recta*, in a semiarid grassland (Lesica and Martin), 516

Islands, exotic herbivores, and invasive plants: their roles in coastal California restoration (Donlan et al), 524

**Fauna**

Long-term trends in faunal recolonization after bauxite mining in the jarrah forest of southwestern Australia (Nichols and Nichols), 261

**Fertilization**

Comparison of organic and chemical soil amendments used in the reforestation of a harsh Sierra Nevada site (Walker), 466

Effects of sewage sludge on the growth of potted salt marsh plants exposed to natural tidal inundation (Vance et al), 155

Establishment of *Chamaecyparis thyoides* on an extremely low-nutrient sandy site on the Atlan-

tic Coastal Plain, U.S.A. (Haas and Kuser), 231

Forest soil chemistry and mesofauna 20 years after an amelioration fertilization (Jandl et al), 239

**Fire**

Burning and grazing management in a California grassland: growth, mortality, and recruitment of *Nasella pulchra* (Dyer), 291

Ecosystem restoration of jhum fallows in northeast India: microbial C and N along altitudinal and successional gradients (Arunachalam and Pandey), 168

Effects of differences in prescribed fire regimes on patchiness and intensity of fires in subtropical savannas of Everglades National Park, Florida (Slocum et al), 91

Effects of prescribed burning on herbaceous and woody vegetation in northern lowland meadows (Quinlan et al), 343

Effects of prescribed fire and season of burn on recruitment of the invasive exotic plant, *Pentstemon recta*, in a semiarid grassland (Lesica and Martin), 516

Fire in the suburbs: ecological impacts of prescribed fire in small remnants of longleaf pine (*Pinus palustris*) sandhill (Heuberger and Putz), 72

Initial effects of prescribed fire on morphology, abundance, and phenology of forbs in big sagebrush communities in southeastern Oregon (Wroblewski and Kauffman), 82

Restoring forbs for sage grouse habitat: fire, microsites, and establishment methods (Wirth and Pyke), 370

Seed bank dynamics of French broom in coastal California grasslands: effects of stand age and prescribed burning on control and restoration (Alexander and D'Antonio), 185

Using dominance-diversity curves to assess completion criteria after bauxite mining rehabilitation in western Australia (Grant and Loneragan), 103

**Fish**

Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139

**Florida**

Effects of differences in prescribed fire regimes on patchiness and intensity of fires in subtropical savannas of Everglades National Park, Florida (Slocum et al), 91

**Forbs**

Initial effects of prescribed fire on morphology, abundance, and phenology of forbs in big sagebrush communities in southeastern Oregon (Wroblewski and Kauffman), 82

Restoring forbs for sage grouse habitat: fire, microsites, and establishment methods (Wirth and Pyke), 370

**Forests**

Bird perches increase forest seeds on Puerto Rican landslides (Shiels and Walker), 457

Comparison of organic and chemical soil amendments used in the reforestation of a harsh Sierra Nevada site (Walker), 466

Convergence between dung beetle assemblages of a post-mining vegetational chronosequence and unmined dune forest (Davis et al), 29

Effects of differences in prescribed fire regimes on patchiness and intensity of fires in subtropical savannas of Everglades National Park, Florida (Slocum et al), 91

Experimental restoration of disturbed cliff-edge forest in Bruce Peninsula National Park, Ontario, Canada (Matthes et al), 174

Fire in the suburbs: ecological impacts of prescribed fire in small remnants of longleaf pine (*Pinus palustris*) sandhill (Heuberger and Putz), 72

Forest soil chemistry and mesofauna 20 years after an amelioration fertilization (Jandl et al), 239



- Impacts of restored patch density and distance from natural forests on colonization success (Jacquemyn et al), 417
- Long-term trends in faunal recolonization after bauxite mining in the jarrah forest of southwestern Australia (Nichols and Nichols), 261
- Measuring success: evaluating the restoration of a grassy eucalypt woodland on the Cumberland Plain, Sydney, Australia (Wilkins et al), 489
- Sampling techniques influence understory plant trajectories after restoration: an example from ponderosa pine restoration (Korb et al), 504
- Tree-shrub interactions during early secondary forest succession in Uganda (Duncan and Chapman), 198
- Vegetative characteristics of recently reforested bottomlands in the Lower Cache River Watershed, Illinois, U.S.A. (Kruse and Groninger), 273
- French broom**
- Seed bank dynamics of French broom in coastal California grasslands: effects of stand age and prescribed burning on control and restoration (Alexander and D'Antonio), 185
- Fungi**
- Effects of organic enrichment of mine spoil on growth and nutrient uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125
- Galveston Bay**
- Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139
- Genetics**
- The restoration gene pool concept: beyond the native versus non-native debate (Jones), 281
- Globeflower**
- Effects of sward height, gap size, and slug grazing on emergence and establishment of *Trollius europaeus* (globeflower) (Hitchmough), 20
- Goldenseal**
- Restoration of *Hydrastis canadensis* by transplanting with disturbance simulation: results of one growing season (Sinclair and Catling), 217
- Grasses**
- Effect of planting unit size and sediment stabilization on seagrass transplants in Western Australia (van Keulen et al), 50
- Emergence of the introduced grass *Agropyron cristatum* and the active grass *Bouteloua gracilis* in a mixed-grass prairie restoration (Ambrose and Wilson), 110
- Extirpation or coexistence? Management of a persistent introduced grass in a prairie restoration (Wilson and Pärtel), 410
- Influence of spacing on mechanically transplanted seagrass survival in a high wave energy regime (Paling et al), 56
- Measuring success: evaluating the restoration of a grassy eucalypt woodland on the Cumberland Plain, Sydney, Australia (Wilkins et al), 489
- Grasslands**
- Burning and grazing management in a California grassland: growth, mortality, and recruitment of *Nasella pulchra* (Dyer), 291
- Can establishment characteristics explain the poor colonization success of late successional grassland species on ex-arable land? (Kleijn), 131
- Effects of prescribed fire and season of burn on recruitment of the invasive exotic plant, *Potentilla recta*, in a semiarid grassland (Lesica and Martin), 516
- Effects of sward height, gap size, and slug grazing on emergence and establishment of *Trollius europaeus* (globeflower) (Hitchmough), 20
- Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China (Hau and Corlett), 483
- Influence of seed mixture and hydrological regime on the establishment of a diverse grassland sward at a site with high phosphorus availability (Gilbert et al), 424
- Propagation of a long-lived and threatened prairie plant, *Lupinus sulphureus* ssp. *kincaidii* (Severns), 334
- A protocol for integrated management, monitoring, and enhancement of degraded *Themeda triandra* grasslands based on plantings of indicator species (Lunt), 223
- Restoration of species richness in abandoned Mediterranean grasslands: seeds in cattle dung (Traba et al), 378
- Seed bank dynamics of French broom in coastal California grasslands: effects of stand age and prescribed burning on control and restoration (Alexander and D'Antonio), 185
- Using soil <sup>13</sup>C to detect the historic presence of *Schizachyrium scoparium* (little bluestem) grasslands on Martha's Vineyard (Peterson and Neill), 116
- Grazing**
- Burning and grazing management in a California grassland: growth, mortality, and recruitment of *Nasella pulchra* (Dyer), 291
- The importance of phytogenic mounds (nebkhas) for restoration of arid degraded rangelands in northern Sinai (El-Bana et al), 317
- Great Plains**
- Emergence of the introduced grass *Agropyron cristatum* and the active grass *Bouteloua gracilis* in a mixed-grass prairie restoration (Ambrose and Wilson), 110
- Great Smoky Mountains National Park**
- Managing non-native plant populations through intensive community restoration in Cades Cove, Great Smoky Mountains National Park, U.S.A., 351

**Halodule wrightii**

Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139

**Hemideina crassidens**

Response of a tree weta population (*Hemideina crassidens*) after eradication of the Polynesian rat from a New Zealand island (Rufaut and Gibbs), 13

**Herbivores**

Islands, exotic herbivores, and invasive plants: their roles in coastal California restoration (Donlan et al), 524

**Hong Kong**

Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China (Hau and Corlett), 483

**Hydrastis canadensis**

Restoration of *Hydrastis canadensis* by transplanting with disturbance simulation: results of one growing season (Sinclair and Catling), 217

**Illinois**

Vegetative characteristics of recently reforested bottomlands in the Lower Cache River Watershed, Illinois, U.S.A. (Kruse and Groninger), 273

**India**

Ecosystem restoration of jhum fallows in northeast India: microbial C and N along altitudinal and successional gradients (Arunachalam and Pandey), 168

**Iron**

Nutrient mineralization and leaf litter preference by the earthworm *Pontoscolex corethrurus* on iron ore mine wastes (Ganihar), 475

**Islands**

Islands, exotic herbivores, and invasive plants: their roles in coastal California restoration (Donlan et al), 524

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

**Jarrah**

Long-term trends in faunal recolonization after bauxite mining in the jarrah forest of southwestern Australia (Nichols and Nichols), 261

**Jhum; see Fire****Kangaroo grass**

A protocol for integrated management, monitoring, and enhancement of degraded *Themeda triandra* grasslands based on plantings of indicator species (Lunt), 223

**Karoo**

Evaluation of restoration techniques for the Succulent Karoo, South Africa (Beukes and Cowling), 308

**Kincaid's lupine**

Propagation of a long-lived and threatened prairie plant, *Lupinus sulphureus* ssp. *kincaidii* (Severns), 334

**KwaZulu-Natal**

Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43

**Landslides**

Bird perches increase forest seeds on Puerto Rican landslides (Shiels and Walker), 457

**Little bluestem**

Using soil  $^{13}\text{C}$  to detect the historic presence of *Schizachyrium scoparium* (little bluestem) grasslands on Martha's Vineyard (Peterson and Neill), 116

**Longleaf pine**

Fire in the suburbs: ecological impacts of prescribed fire in small remnants of longleaf pine (*Pinus palustris*) sandhill (Heuberger and Putz), 72

**Lower Cache River Watershed**

Vegetative characteristics of recently reforested bottomlands in the Lower Cache River Watershed, Illinois, U.S.A. (Kruse and Groninger), 273

**Lowlands**

Effects of prescribed burning on herbaceous and woody vegeta-

tion in northern lowland meadows (Quinlan et al), 343

**Lupinus sulphureus**

Propagation of a long-lived and threatened prairie plant, *Lupinus sulphureus* ssp. *kincaidii* (Severns), 334

**Marshes**

Effects of sewage sludge on the growth of potted salt marsh plants exposed to natural tidal inundation (Vance et al), 155

**Martha's Vineyard**

Using soil  $^{13}\text{C}$  to detect the historic presence of *Schizachyrium scoparium* (little bluestem) grasslands on Martha's Vineyard (Peterson and Neill), 116

**Meadows**

Effects of prescribed burning on herbaceous and woody vegetation in northern lowland meadows (Quinlan et al), 343

A test of two annual cover crops for controlling *Phalaris arundinacea* invasion in restored sedge meadow wetlands (Perry and Galatowitsch), 297

Transplanting sedges (*Carex* spp.) in southwestern riparian meadows (Steed and DeWald), 247

**Mediterranean**

Restoration of species richness in abandoned Mediterranean grasslands: seeds in cattle dung (Traba et al), 378

Suitability of drought-preconditioning techniques in Mediterranean climate (Vilagrosa et al), 208

**Mesofauna**

Forest soil chemistry and mesofauna 20 years after an amelioration fertilization (Jandl et al), 239

**Mining**

Comparison of organic and chemical soil amendments used in the reforestation of a harsh Sierra Nevada site (Walker), 466

Convergence between dung beetle assemblages of a post-mining vegetational chronosequence and unmined dune forest (Davis et al), 29

Effects of organic enrichment of mine spoil on growth and nutrient

- uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125
- Long-term trends in faunal recolonization after bauxite mining in the jarrah forest of southwestern Australia (Nichols and Nichols), 261
- Nutrient mineralization and leaf litter preference by the earthworm *Pontoscolex corethrurus* on iron ore mine wastes (Ganihar), 475
- Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43
- Spoil heaps from brown coal mining: technical reclamation versus spontaneous revegetation (Hodačová and Prach), 385
- Using dominance-diversity curves to assess completion criteria after bauxite mining rehabilitation in western Australia (Grant and Loneragan), 103
- Models**
- Modeling and monitoring tools to assess recovery status and convergence rates between restored and undisturbed coral reef habitats (Lirman and Miller), 448
- Nassella pulchra***
- Burning and grazing management in a California grassland: growth, mortality, and recruitment of *Nassella pulchra* (Dyer), 291
- Native species**
- Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China (Hau and Corlett), 483
- Managing non-native plant populations through intensive community restoration in Cades Cove, Great Smoky Mountains National Park, U.S.A., 351
- The restoration gene pool concept: beyond the native versus non-native debate (Jones), 281
- Nekton**
- Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139
- Nevada**
- Comparison of organic and chemical soil amendments used in the reforestation of a harsh Sierra Nevada site (Walker), 466
- New Zealand**
- Planted riparian buffer zones in New Zealand: do they live up to expectations? (Parkyn et al), 436
- Response of a tree weta population (*Hemideina crassidens*) after eradication of the Polynesian rat from a New Zealand island (Rufaut and Gibbs), 13
- Nitrogen**
- Ecosystem restoration of jhum fallows in northeast India: microbial C and N along altitudinal and successional gradients (Arunachalam and Pandey), 168
- Non-native species**
- Managing non-native plant populations through intensive community restoration in Cades Cove, Great Smoky Mountains National Park, U.S.A., 351
- The restoration gene pool concept: beyond the native versus non-native debate (Jones), 281
- Oak**
- Effects of organic enrichment of mine spoil on growth and nutrient uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125
- Oregon**
- Initial effects of prescribed fire on morphology, abundance, and phenology of forbs in big sagebrush communities in southeastern Oregon (Wroblewski and Kauffman), 82
- Parks**
- Effects of differences in prescribed fire regimes on patchiness and intensity of fires in subtropical savannas of Everglades National Park, Florida (Slocum et al), 91
- Experimental restoration of disturbed cliff-edge forest in Bruce Peninsula National Park, Ontario, Canada (Matthes et al), 174
- Managing non-native plant populations through intensive community restoration in Cades Cove, Great Smoky Mountains National Park, U.S.A., 351
- Phalaris arundinacea***
- A test of two annual cover crops for controlling *Phalaris arundinacea* invasion in restored sedge meadow wetlands (Perry and Galatowitsch), 297
- Phosphorus**
- Influence of seed mixture and hydrological regime on the establishment of a diverse grassland sward at a site with high phosphorus availability (Gilbert et al), 424
- Phytogenic mounds**
- The importance of phytogenic mounds (nebkhas) for restoration of arid degraded rangelands in northern Sinai (El-Bana et al), 317
- Pine**
- Sampling techniques influence understory plant trajectories after restoration: an example from ponderosa pine restoration (Korb et al), 504
- Pinus jeffreyi***
- Comparison of organic and chemical soil amendments used in the reforestation of a harsh Sierra Nevada site (Walker), 466
- Pinus palustris***
- Fire in the suburbs: ecological impacts of prescribed fire in small remnants of longleaf pine (*Pinus palustris*) sandhill (Heuberger and Putz), 72
- Polynesian rat**
- Response of a tree weta population (*Hemideina crassidens*) after eradication of the Polynesian rat from a New Zealand island (Rufaut and Gibbs), 13
- Ponderosa pine**
- Sampling techniques influence understory plant trajectories after restoration: an example from ponderosa pine restoration (Korb et al), 504

**Pontosclex corethrurus**

Nutrient mineralization and leaf litter preference by the earthworm *Pontosclex corethrurus* on iron ore mine wastes (Ganihar), 475

**Porites astreoides**

Modeling and monitoring tools to assess recovery status and convergence rates between restored and undisturbed coral reef habitats (Lirman and Miller), 448

**Potentilla recta**

Effects of prescribed fire and season of burn on recruitment of the invasive exotic plant, *Potentilla recta*, in a semiarid grassland (Lesica and Martin), 516

**Prairies**

Emergence of the introduced grass *Agropyron cristatum* and the active grass *Bouteloua gracilis* in a mixed-grass prairie restoration (Ambrose and Wilson), 110

Extirpation or coexistence? Management of a persistent introduced grass in a prairie restoration (Wilson and Pärtel), 410

Propagation of a long-lived and threatened prairie plant, *Lupinus sulphureus* ssp. *kincaidii* (Severns), 334

**Preconditioning**

Suitability of drought-preconditioning techniques in Mediterranean climate (Vilagrosa et al), 208

**Prescribed fire; see Fire****Prince Edward Island**

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

**Puerto Rico**

Bird perches increase forest seeds on Puerto Rican landslides (Shiels and Walker), 457

**Purple needlegrass**

Burning and grazing management in a California grassland: growth, mortality, and recruitment of *Nasella pulchra* (Dyer), 291

**Rangelands; see Grazing****Reed canarygrass**

A test of two annual cover crops for controlling *Phalaris arundina-*

*cea* invasion in restored sedge meadow wetlands (Perry and Galatowitsch), 297

**Remote monitoring**

A comparison of remote sensing and ground-based methods for monitoring wetland restoration success (Shuman and Ambrose), 325

**Reproduction**

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

**Restoration ecology**

New directions and growth of restoration ecology (Allen), 1 (Editorial)

**Rhizomes**

Potential use of *Uniola paniculata* rhizome fragments for dune restoration (Miller et al), 359

**Riparian areas**

Planted riparian buffer zones in New Zealand: do they live up to expectations? (Parkyn et al), 436  
Transplanting sedges (*Carex* spp.) in southwestern riparian meadows (Steed and DeWald), 247

**Rivers**

Planted riparian buffer zones in New Zealand: do they live up to expectations? (Parkyn et al), 436

**Roads**

Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43

**Rodents**

Response of a tree weta population (*Hemideina crassidens*) after eradication of the Polynesian rat from a New Zealand island (Ruffaut and Gibbs), 13

Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43

**Sage grouse**

Restoring forbs for sage grouse habitat: fire, microsites, and establishment methods (Wirth and Pyke), 370

**Sage scrub**

Terrestrial arthropods as indicators of ecological restoration success in coastal sage scrub (California, U.S.A.) (Longcore), 397

**Salicornia virginica**

A comparison of remote sensing and ground-based methods for monitoring wetland restoration success (Shuman and Ambrose), 325

**Salt marsh**

Effects of sewage sludge on the growth of potted salt marsh plants exposed to natural tidal inundation (Vance et al), 155

**Sampling techniques**

Sampling techniques influence understory plant trajectories after restoration: an example from ponderosa pine restoration (Korb et al), 504

**Schizachyrium scoparium**

Using soil <sup>13</sup>C to detect the historic presence of *Schizachyrium scoparium* (little bluestem) grasslands on Martha's Vineyard (Peterson and Neill), 116

**Sea oats**

Potential use of *Uniola paniculata* rhizome fragments for dune restoration (Miller et al), 359

**Seagrass**

Effect of planting unit size and sediment stabilization on seagrass transplants in Western Australia (van Keulen et al), 50

Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139

Influence of spacing on mechanically transplanted seagrass survival in a high wave energy regime (Paling et al), 56

**Sedge**

A test of two annual cover crops for controlling *Phalaris arundinacea* invasion in restored sedge meadow wetlands (Perry and Galatowitsch), 297

Transplanting sedges (*Carex* spp.) in southwestern riparian meadows (Steed and DeWald), 247



**Seedlings**

Can establishment characteristics explain the poor colonization success of late successional grassland species on ex-arable land? (Kleijn), 131

Effects of organic enrichment of mine spoil on growth and nutrient uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125

Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China (Hau and Corlett), 483

**Seeds**

Bird perches increase forest seeds on Puerto Rican landslides (Shiels and Walker), 457

Effects of sward height, gap size, and slug grazing on emergence and establishment of *Trollius europaeus* (globeflower) (Hitchmough), 20

Impacts of restored patch density and distance from natural forests on colonization success (Jacquemyn et al), 417

Influence of seed mixture and hydrological regime on the establishment of a diverse grassland sward at a site with high phosphorus availability (Gilbert et al), 424

Propagation of a long-lived and threatened prairie plant, *Lupinus sulphureus* ssp. *kincaidii* (Severns), 334

Restoration of species richness in abandoned Mediterranean grasslands: seeds in cattle dung (Traba et al), 378

Seed bank dynamics of French broom in coastal California grasslands: effects of stand age and prescribed burning on control and restoration (Alexander and D'Antonio), 185

**Sewage sludge**

Effects of sewage sludge on the growth of potted salt marsh plants exposed to natural tidal inundation (Vance et al), 155

**Shoalgrass**

Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139

**Shrubs**

Effects of prescribed burning on herbaceous and woody vegetation in northern lowland meadows (Quinlan et al), 343

Tree-shrub interactions during early secondary forest succession in Uganda (Duncan and Chapman), 198

**Sinai**

The importance of phytogenic mounds (nebkhas) for restoration of arid degraded rangelands in northern Sinai (El-Bana et al), 317

**Slash and burn; see Fire****Slugs**

Effects of sward height, gap size, and slug grazing on emergence and establishment of *Trollius europaeus* (globeflower) (Hitchmough), 20

**Society for Ecological Restoration**

New directions and growth of restoration ecology (Allen), 1 (Editorial)

**Soil**

Comparison of organic and chemical soil amendments used in the reforestation of a harsh Sierra Nevada site (Walker), 466

Ecosystem restoration of jhum fallows in northeast India: microbial C and N along altitudinal and successional gradients (Arunachalam and Pandey), 168

Forest soil chemistry and mesofauna 20 years after an amelioration fertilization (Jandl et al), 239

Using soil  $^{13}\text{C}$  to detect the historic presence of *Schizachyrium scoparium* (little bluestem) grasslands on Martha's Vineyard (Peterson and Neill), 116

**South Africa**

Convergence between dung beetle assemblages of a post-mining vegetational chronosequence and unmined dune forest (Davis et al), 29

Evaluation of restoration techniques for the succulent Karoo, South Africa (Beukes and Cowling), 308

Roads as ecological edges for rehabilitating coastal dune assemblages in Northern KwaZulu-Natal, South Africa (Weiermans and van Aarde), 43

**Spoil heaps**

Spoil heaps from brown coal mining: technical reclamation versus spontaneous revegetation (Hodačová and Prach), 385

**Streams**

Planted riparian buffer zones in New Zealand: do they live up to expectations? (Parkyn et al), 436

**Suburban/urban areas**

Fire in the suburbs: ecological impacts of prescribed fire in small remnants of longleaf pine (*Pinus palustris*) sandhill (Heuberger and Putz), 72

**Succulent Karoo**

Evaluation of restoration techniques for the Succulent Karoo, South Africa (Beukes and Cowling), 308

**Texas**

Fauna of natural seagrass and transplanted *Halodule wrightii* (shoalgrass) beds in Galveston Bay, Texas (Sheridan et al), 139

***Themeda triandra***

A protocol for integrated management, monitoring, and enhancement of degraded *Themeda triandra* grasslands based on plantings of indicator species (Lunt), 223

***Thuja occidentalis***

Experimental restoration of disturbed cliff-edge forest in Bruce Peninsula National Park, Ontario, Canada (Matthes et al), 174

**Tide**

Effects of sewage sludge on the growth of potted salt marsh plants exposed to natural tidal inundation (Vance et al), 155

**Tree weta**

Response of a tree weta population (*Hemideina crassidens*) after eradication of the Polynesian rat

from a New Zealand island (Ruffaut and Gibbs), 13

## Trees

Effects of organic enrichment of mine spoil on growth and nutrient uptake in oak seedlings inoculated with selected ectomycorrhizal fungi (Lunt and Hedger), 125

Establishment of *Chamaecyparis thyoides* on an extremely low-nutrient sandy site on the Atlantic Coastal Plain, U.S.A. (Haas and Kuser), 231

Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China (Hau and Corlett), 483

Fire in the suburbs: ecological impacts of prescribed fire in small remnants of longleaf pine (*Pinus palustris*) sandhill (Heuberger and Putz), 72

Tree-shrub interactions during

early secondary forest succession in Uganda (Duncan and Chapman), 198

## Uganda

Tree-shrub interactions during early secondary forest succession in Uganda (Duncan and Chapman), 198

## Uniola paniculata

Potential use of *Uniola paniculata* rhizome fragments for dune restoration (Miller et al), 359

## Urban areas; see Suburban/urban areas

## Water

Influence of seed mixture and hydrological regime on the establishment of a diverse grassland sward at a site with high phosphorus availability (Gilbert et al), 424

Planted riparian buffer zones in New Zealand: do they live up to expectations? (Parkyn et al), 436

Suitability of drought-preconditioning techniques in Mediterranean

climate (Vilagrosa et al), 208

## Waterfowl

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

## Wave energy

Influence of spacing on mechanically transplanted seagrass survival in a high wave energy regime (Paling et al), 56

## Wetlands

A comparison of remote sensing and ground-based methods for monitoring wetland restoration success (Shuman and Ambrose), 325

A test of two annual cover crops for controlling *Phalaris arundinacea* invasion in restored sedge meadow wetlands (Perry and Galatowitsch), 297

Use of restored small wetlands by breeding waterfowl in Prince Edward Island, Canada (Stevens et al), 3

